

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
- **Trade name:** *Z138 Desinfektionsreiniger*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
*No further relevant information available.*
- **Application of the substance / the mixture** *Surface disinfectant*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
*Lasala AG*  
*Wehntalerstrasse 113*  
*8105 Regensdorf*
- **Further information obtainable from:** *info@lasala.ch*
- **1.4 Emergency telephone number:**  
*Centre suisse d'information toxicologique, Zurich*  
*+41 (0)44 251 51 51 ou 145 (depuis la Suisse)*  
*Schweizerisches Toxikologisches Informationszentrum, Zürich*  
*+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145*  
*Centro Svizzero d'informazione tossicologica*  
*+41 (0)44 251 51 51 o dalla Svizzera: Tel 145*

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

*Met. Corr.1      H290 May be corrosive to metals.*  
*Skin Corr. 1B      H314 Causes severe skin burns and eye damage.*



GHS09 environment

*Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
*The product is classified and labelled according to the CLP regulation.*
- **Hazard pictograms** *GHS05, GHS09*
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**  
*2-aminoethanol*  
*didecyldimethylammonium chloride*
- **Hazard statements**  
*H290 May be corrosive to metals.*  
*H314 Causes severe skin burns and eye damage.*  
*H410 Very toxic to aquatic life with long lasting effects.*

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

**Trade name: Z138 Desinfektionsreiniger**

(Contd. of page 1)

**Precautionary statements**

- P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

**Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

**3.2 Chemical characterisation: Mixtures**

- **Description:** Mixture of substances listed below with nonhazardous additions.

**Dangerous components:**

CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28	2-aminoethanol ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 5 %	≥2.5-<5%
CAS: 7173-51-5 EINECS: 230-525-2 Reg.nr.: 01-2119945987-15	didecyldimethylammonium chloride ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Acute 1, H400; Aquatic Chronic 2, H411; ⚠ Acute Tox. 4, H302	≥2.5-<5%
CAS: 9043-30-5 NLP: 500-027-2	Alcohol C13-iso, ethoxylated 9.5 EO ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	≥2.5-<3%
CAS: 67-63-0 EINECS: 200-661-7 Reg.nr.: 01-2119457558-25	propan-2-ol ⚠ Flam. Liq. 2, H225; ⚠ Eye Irrit. 2, H319; STOT SE 3, H336	≤2.5%

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

**4.1 Description of first aid measures**

- **General information:** Personal protection for the First Aider.

**After inhalation:**

- Use a respiratory bag or breathing device.
- Do not use mouth to mouth or mouth to nose resuscitation.
- Call a doctor immediately.
- In case of unconsciousness place patient stably in side position for transportation.

**After skin contact:**

- Seek immediate medical advice.
- Immediately wash with water and soap and rinse thoroughly.

**After eye contact:**

- Seek medical treatment.
- Rinse opened eye for several minutes under running water. Then consult a doctor.

**After swallowing:**

- Rinse out mouth and then drink plenty of water.
- Call a doctor immediately.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

GB

(Contd. on page 3)

**Trade name: Z138 Desinfektionsreiniger**

(Contd. of page 2)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**  
Do not allow product to reach sewage system or any water course.  
Inform respective authorities in case of seepage into water course or sewage system.  
Dilute with plenty of water.  
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** Provide floor trough without outlet.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class:** 8 B
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

#### 141-43-5 2-aminoethanol

WEL Short-term value: 7.6 mg/m<sup>3</sup>, 3 ppm  
Long-term value: 2.5 mg/m<sup>3</sup>, 1 ppm  
Sk

#### 67-63-0 propan-2-ol

WEL Short-term value: 1250 mg/m<sup>3</sup>, 500 ppm  
Long-term value: 999 mg/m<sup>3</sup>, 400 ppm

(Contd. on page 4)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

Trade name: Z138 Desinfektionsreiniger

(Contd. of page 3)

· **DNELs****7173-51-5 didecyldimethylammonium chloride**

Dermal	DNEL long term systemic effects	8.6 mg/kg bw/day (workers)
Inhalative	DNEL long term systemic effects	18.2 mg/m <sup>3</sup> (workers)

· **PNECs****7173-51-5 didecyldimethylammonium chloride**

PNEC	595 mg/l (sewage plant)
PNEC aqua	2 mg/l (fresh water)
	0.0002 mg/l (sea water)
PNEC sediment	2.82 mg/kg (fresh water)
	282 mg/kg (sea water)
PNEC ground	1.4 mg/kg (ground)

· **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Respiratory protection:**

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A/P2

Use suitable respiratory protective device in case of insufficient ventilation.

· **Protection of hands:**

Protective gloves

EN 374

· **Material of gloves**

Nitrile rubber, NBR

Recommended thickness of the material:  $\geq 0.4$  mm

· **Penetration time of glove material**

$\geq 8h$

Value for the permeation: Level  $\leq 6$

· **Eye protection:**

Tightly sealed goggles

EN166

· **Body protection:**

Protective work clothing

Apron

GB

(Contd. on page 5)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

Trade name: Z138 Desinfektionsreiniger

(Contd. of page 4)

### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

##### · General Information

##### · Appearance:

· Form:	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.

· pH-value at 20 °C: 12.5

##### · Change in condition

· Melting point/freezing point:	Undetermined.
· Initial boiling point and boiling range:	>34 °C

· Flash point: Not applicable.

· Flammability (solid, gas): Not applicable.

· Decomposition temperature: Not determined.

· Auto-ignition temperature: Product is not selfigniting.

· Explosive properties: Product does not present an explosion hazard.

##### · Explosion limits:

· Lower:	Not determined.
· Upper:	Not determined.

· Vapour pressure at 20 °C: 23 hPa

· Density at 20 °C:	1.01 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
· Evaporation rate	Not determined.

· Solubility in / Miscibility with water:

Fully miscible.

· Partition coefficient: n-octanol/water: Not determined.

##### · Viscosity:

· Dynamic:	Not determined.
· Kinematic:	Not determined.
· Organic solvents:	6.3 %
· Water:	83.9 %

· Solids content: 1.5 %

· 9.2 Other information: No further relevant information available.

### SECTION 10: Stability and reactivity

· 10.1 Reactivity: No further relevant information available.

#### · 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions: No dangerous reactions known.

· 10.4 Conditions to avoid: No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

GB

(Contd. on page 6)

## Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

Trade name: Z138 Desinfektionsreiniger

(Contd. of page 5)

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values relevant for classification:**

**7173-51-5 didecyldimethylammonium chloride**

Oral	LD50	238 mg/kg (Rat)
Dermal	LD50	3,342 mg/kg (Rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**  
Causes severe skin burns and eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**7173-51-5 didecyldimethylammonium chloride**

NOEC	530 mg/l ( <i>Chironomus sp.</i> ) (OECD 218, 28d) 32 mg/l ( <i>Danio rerio</i> ) (OECD 210, 34 d) 10 mg/l ( <i>Daphnia magna</i> ) (OECD 211, 21d) ≥1,000 mg/l ( <i>Eisenia fetida</i> ) (OECD 207, 14d)
LC50 (96h)	0.19 mg/l ( <i>Pimephales promelas</i> ) (US-EPA)
EC50	62 mg/l ( <i>Daphnia magna</i> ) (EPA-FIFRA, 48h) 26 mg/l ( <i>Pseudokirchneriella subcapitata</i> ) (OECD-201, 96h)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

- **Ecotoxicological effects:**

- **Remark:** Very toxic for fish

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Very toxic for aquatic organisms

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

(Contd. on page 7)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

Trade name: Z138 Desinfektionsreiniger

(Contd. of page 6)

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

20 00 00	MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS
20 01 00	separately collected fractions (except 15 01)
20 01 29*	detergents containing hazardous substances

- **Uncleaned packaging:**
- **Recommendation:**  
Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.
- **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

### SECTION 14: Transport information

- **14.1 UN-Number**
- **ADR, IMDG, IATA** UN1760
- **14.2 UN proper shipping name**
- **ADR** 1760 CORROSIVE LIQUID, N.O.S. (didecyldimethylammonium chloride), ENVIRONMENTALLY HAZARDOUS
- **IMDG** CORROSIVE LIQUID, N.O.S. (didecyldimethylammonium chloride), MARINE POLLUTANT
- **IATA** CORROSIVE LIQUID, N.O.S. (didecyldimethylammonium chloride)

- **14.3 Transport hazard class(es)**

- **ADR, IMDG**



- **Class** 8 Corrosive substances.
- **Label** 8

- **IATA**



- **Class** 8 Corrosive substances.
- **Label** 8

(Contd. on page 8)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 35

Revision: 31.08.2020

Trade name: Z138 Desinfektionsreiniger

(Contd. of page 7)

· 14.4 Packing group · ADR, IMDG, IATA	II
· 14.5 Environmental hazards: · Marine pollutant: · Special marking (ADR):	Symbol (fish and tree) Symbol (fish and tree)
· 14.6 Special precautions for user · Hazard identification number (Kemler code): · EMS Number:	Warning: Corrosive substances. 80 F-A,S-B
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· Transport category · Tunnel restriction code	2 E
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N. O. S. (DIDECYLDIMETHYLAMMONIUM CHLORIDE), 8, II, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Regulation (EU) No 649/2012

7173-51-5 didecyldimethylammonium chloride

Annex I Part I

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

cationic surfactants, non-ionic surfactants

&lt;5%

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

GB

(Contd. on page 9)



**Trade name: Z138 Desinfektionsreiniger**

(Contd. of page 8)

### SECTION 16: Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

· **Relevant phrases**

- H225 Highly flammable liquid and vapour.
- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

· **Abbreviations and acronyms:**

- ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
- GHS: Globally Harmonised System of Classification and Labelling of Chemicals
- EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)
- PNEC: Predicted No-Effect Concentration (REACH)
- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Flam. Liq. 2: Flammable liquids – Category 2
- Met. Corr. 1: Corrosive to metals – Category 1
- Acute Tox. 4: Acute toxicity - oral – Category 4
- Skin Corr. 1B: Skin corrosion/irritation – Category 1B
- Eye Dam. 1: Serious eye damage/eye irritation – Category 1
- Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
- STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
- Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
- Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· **\* Data compared to the previous version altered.**