

Safety data sheet
according to 1907/2006/EC, Article 31



Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** *G24 Grundreiniger spezial*
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** *Basic cleaner*
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
*Lasala AG
Wehntalerstrasse 113
8105 Regensdorf*
- **Further information obtainable from:** *info@lasala.ch*
- **1.4 Emergency telephone number:**
*Centre suisse d'information toxicologique, Zurich
+41 (0)44 251 51 51 ou 145 (depuis la Suisse)
Schweizerisches Toxikologisches Informationszentrum, Zürich
+41 (0)44 251 51 51 oder aus der Schweiz: Tel 145
Centro Svizzero d'informazione tossicologica
+41 (0)44 251 51 51 o dalla Svizzera: Tel 145*

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS05 corrosion

*Skin Corr. 1B H314 Causes severe skin burns and eye damage.**Eye Dam. 1 H318 Causes serious eye damage.*

GHS07

*Acute Tox. 4 H332 Harmful if inhaled.**STOT SE 3 H335 May cause respiratory irritation.*

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** *GHS05, GHS07*
- **Signal word** *Danger*
- **Hazard-determining components of labelling:**
*2-butoxyethanol
2-aminoethanol
Benzyl alcohol*
- **Hazard statements**
*H332 Harmful if inhaled.
H314 Causes severe skin burns and eye damage.
H335 May cause respiratory irritation.*

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 1)

Precautionary statements

- P102 Keep out of reach of children.
 P303+P361+P353 **IF ON SKIN (or hair):** Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 P305+P351+P338 **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER/doctor.
 P405 Store locked up.
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Chemical characterisation: Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

Dangerous components:

| | | |
|---|--|----------|
| CAS: 111-76-2 EINECS: 203-905-0 Reg.nr.: 01-2119475108-36 | 2-butoxyethanol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 | 10-20% |
| CAS: 100-51-6 EINECS: 202-859-9 Reg.nr.: 01-2119492630-38 | Benzyl alcohol ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Eye Irrit. 2, H319 | ≥5-<10% |
| CAS: 28348-53-0 EINECS: 248-983-7 Reg.nr.: 01-2119489411-37 | sodium cumenesulphonate ⚠ Eye Irrit. 2, H319 | ≥5-<10% |
| CAS: 141-43-5 EINECS: 205-483-3 Reg.nr.: 01-2119486455-28 | 2-aminoethanol ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332 Specific concentration limit: STOT SE 3; H335: C ≥ 5 % | 5-10% |
| CAS: 1310-58-3 EINECS: 215-181-3 Reg.nr.: 01-2119487136-33 | potassium hydroxide ⚠ Skin Corr. 1A, H314; ⚠ Acute Tox. 4, H302 Specific concentration limits: Skin Corr. 1A; H314: C ≥ 5 % Skin Corr. 1B; H314: 2 % ≤ C < 5 % Skin Irrit. 2; H315: 0.5 % ≤ C < 2 % Eye Irrit. 2; H319: 0.5 % ≤ C < 2 % | ≥0.5-<2% |

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- **After inhalation:** In case of unconsciousness place patient stably in side position for transportation.
- **After skin contact:** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact:**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- **After swallowing:** If symptoms persist consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

GB

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 2)

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:**
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about fire - and explosion protection:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 8 B
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **8.1 Control parameters**

Ingredients with limit values that require monitoring at the workplace:

111-76-2 2-butoxyethanol

| | |
|-----|---|
| WEL | Short-term value: 246 mg/m ³ , 50 ppm Long-term value: 123 mg/m ³ , 25 ppm Sk, BMGV |
|-----|---|

141-43-5 2-aminoethanol

| | |
|-----|---|
| WEL | Short-term value: 7.6 mg/m ³ , 3 ppm Long-term value: 2.5 mg/m ³ , 1 ppm Sk |
|-----|---|

1310-58-3 potassium hydroxide

| | |
|-----|---------------------------------------|
| WEL | Short-term value: 2 mg/m ³ |
|-----|---------------------------------------|

· DNELs

111-76-2 2-butoxyethanol

| | | |
|------|---------------------------------|---------------------------------------|
| Oral | DNEL long term systemic effects | 3.2 mg/kg bw/day (general population) |
|------|---------------------------------|---------------------------------------|

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 3)

| | | |
|------------|----------------------------------|---|
| Dermal | DNEL short term systemic effects | 13.4 mg/kg (general population) |
| | DNEL long term systemic effects | 38 mg/kg bw/day (general population) 75 mg/kg bw/day (workers) |
| Inhalative | DNEL short term systemic effects | 44.5 mg/kg (general population) 89 mg/kg (workers) |
| | DNEL long term systemic effects | 49 mg/m ³ (general population) 98 mg/m ³ (workers) |
| | DNEL short term local effects | 123 mg/m ³ (general population) 246 mg/m ³ (workers) |
| | DNEL short term systemic effects | 426 mg/m ³ (general population) 633 mg/m ³ (workers) |

141-43-5 2-aminoethanol

| | | |
|--------|---------------------------------|---|
| Oral | DNEL long term systemic effects | 3.75 mg/kg bw/day (general population) |
| Dermal | DNEL long term systemic effects | 0.24 mg/kg bw/day (general population) 1 mg/kg bw/day (workers) |
| | DNEL long term systemic effects | 2 mg/m ³ (general population) 3.3 mg/m ³ (workers) |

· **PNECs****111-76-2 2-butoxyethanol**

| | |
|-------------|---|
| PNEC | 3.13 mg/l (ground) |
| | 9.1 mg/l (intermittent release) |
| | 463 mg/l (sewage plant) |
| PNEC aqua | 8.8 mg/l (fresh water) 0.88 mg/l (sea water) |
| | PNEC sediment |
| PNEC ground | 3.13 mg/kg (ground) |

141-43-5 2-aminoethanol

| | |
|-----------|--|
| PNEC | 25 mg/l (intermittent release) |
| | 100 mg/l (sewage plant) |
| PNEC aqua | 85 mg/l (fresh water) 0.0085 mg/l (sea water) |
| | PNEC sediment |

· **Ingredients with biological limit values:****111-76-2 2-butoxyethanol**

| | |
|------|---|
| BMGV | 240 mmol/mol creatinine Medium: urine Sampling time: post shift Parameter: butoxyacetic acid |
|------|---|

· **Additional information:** The lists valid during the making were used as basis.· **8.2 Exposure controls**· **Personal protective equipment:**· **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

· **Respiratory protection:** Not required.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 4)

· **Protection of hands:**

Protective gloves

· **Material of gloves**

Butyl rubber, BR

Nitrile rubber, NBR

Recommended thickness of the material: ≥ 0.4 mm· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **For the permanent contact of a maximum of 15 minutes gloves made of the following materials are suitable:**

PVC gloves

· **Eye protection:**

Tightly sealed goggles

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**· **General Information**· **Appearance:**

| | |
|---------------------------|-----------------|
| · Form: | Fluid |
| · Colour: | Colourless |
| · Odour: | Characteristic |
| · Odour threshold: | Not determined. |

· **pH-value at 20 °C:** 12.5· **Change in condition**

| | |
|---|--------|
| · Melting point/freezing point: | 0 °C |
| · Initial boiling point and boiling range: | 100 °C |

· **Flash point:** Not applicable.· **Flammability (solid, gas):** Not applicable.· **Ignition temperature:** 240 °C· **Decomposition temperature:** Not determined.· **Auto-ignition temperature:** Product is not selfigniting.· **Explosive properties:** Product does not present an explosion hazard.· **Explosion limits:**

| | |
|-----------------|------------|
| · Lower: | 1.1 Vol % |
| · Upper: | 10.6 Vol % |

· **Vapour pressure at 20 °C:** 23 hPa· **Density at 20 °C:** 1.038 g/cm³· **Relative density** Not determined.· **Vapour density** Not determined.· **Evaporation rate** Not determined.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 5)

- | | |
|--|--|
| · Solubility in / Miscibility with water: | Fully miscible. |
| · Partition coefficient: n-octanol/water: | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Organic solvents: | 26.5 % |
| Water: | 61.8 % |
| Solids content: | 1.5 % |
| · 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity**
Harmful if inhaled.

· **LD/LC50 values relevant for classification:**

111-76-2 2-butoxyethanol

| | | |
|------------|----------|-------------------|
| Oral | LD50 | 1,746 mg/kg (Rat) |
| Dermal | LD50 | 2,270 mg/kg (rab) |
| Inhalative | LC50/4 h | 2-20 mg/l (Rat) |

141-43-5 2-aminoethanol

| | | |
|--------|------|----------------------|
| Oral | LD50 | 2,050 mg/kg (Rat) |
| Dermal | LD50 | 1,000 mg/kg (Rabbit) |

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

GB

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

111-76-2 2-butoxyethanol

| | |
|------------|--|
| EC50 (24h) | 1,720 mg/l (<i>Daphnia magna</i>) |
| EC50 (7d) | >100 mg/l (<i>Scenedesmus subspicatus</i>) |
| LC50 (96h) | 1,490 mg/l (<i>Lepomis macrochirus</i>) |

141-43-5 2-aminoethanol

| | |
|------------|--|
| EC50 (48h) | 65 mg/l (<i>Daphnia magna</i>) |
| EC50 (72h) | 15 mg/l (<i>Scenedesmus subspicatus</i>) |
| LC50 (48h) | 224 mg/l (<i>leu</i>) |
| LC50 (96h) | 150 mg/l (<i>Oncorhynchus mykiss</i>) |

· 12.2 Persistence and degradability No further relevant information available.

· 12.3 Bioaccumulative potential No further relevant information available.

· 12.4 Mobility in soil No further relevant information available.

· Additional ecological information:

· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Can be burned with household garbage after consulting with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

| | |
|-----------|---|
| 20 00 00 | MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS |
| 20 01 00 | separately collected fractions (except 15 01) |
| 20 01 29* | detergents containing hazardous substances |

· Uncleaned packaging:

· Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

· Recommended cleansing agents: Water, if necessary together with cleansing agents.

GB

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 7)

SECTION 14: Transport information

| | |
|---|-----------------|
| · 14.1 UN-Number | |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.2 UN proper shipping name | |
| · ADR, ADN, IMDG, IATA | Void |
| · 14.3 Transport hazard class(es) | |
| · ADR, ADN, IMDG, IATA | |
| · Class | Void |
| · 14.4 Packing group | |
| · ADR, IMDG, IATA | Void |
| · 14.5 Environmental hazards: | Not applicable. |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances - ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- National regulations:

· Regulation (EC) No 648/2004 on detergents / Labelling for contents

non-ionic surfactants, phosphates, soap, perfumes (LIMONEN, CITRONELLOL)

<5%

- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 31.08.2020

Version number 16

Revision: 31.08.2020

Trade name: G24 Grundreiniger spezial

(Contd. of page 8)

PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity - oral – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

· *** Data compared to the previous version altered.**

GB